

- Maricela Wilson, BSN, RN - Ascension Seton
 CVD-Stroke Community Outreach Educator

• Remle Crowe, PhD. RESEARCH SCIENTIST AT ESO

• Dr. P Banerjee -

Medical Director Polk County Fire Rescue;


Assistant Professor in Medicine Mercer University-School of Medicine

UCF College of Medicine

Educating the Public on Stroke Recognition:















Difficulty



owe, is the personable out the words?

call 911

ang of those signs,

while waiting for help?

O

Make sure the person is it a confortable position

IG SIGNS AND SYMPTOMS











PEECH DIFFICULTY



IME TO CALL

opot trie signs or a struke F.A.S.T.

During a stroke, every minute counts. \ by recognizing these signs of a stroke

> Ask the person to smile, is one side of the face drooping?

Ask the person to raise their arms.



a stroke. Ask the person to smile and observe their lane If the person is having a may appear drappy.





arm may delt downward.

weekness, numbress, and

paralysis on one or both sides of the body. Ask the person to roise

both of their arms, and leak for

The person may also experience

stumbling or poor coordination.

weakness in their legs, resulting in

stons of one westiness. They may be unable to 18, one arm, or one

and understanding. Ask the person a simple question or ask them to repeat a short phrese. Difficulty speaking o siured speech can indicate a

Fyou observe any of the above yraptoms, seek immediate medical help. Don't drive the person to the hospital. Cell 911. Notify the person is having a stroke. Make a note of when you first



STROKE SYMPTOMS

Remember, recognize and act fast






































987000 CHMINIMO













IT A STROKE? BE FAS



call 911







Stroke in the Hispanic Population

3 of the largest Latino National Groups:

- Mexicans
- Cubans
- Dominicans

- Hispanic Population to Reach 111 Million by 2020

United States Census Bureau

Identification of Barriers to Stroke Awareness and Risk Factor Management Unique to Hispanics

- Hispanics scored lower on the Stroke Awareness. Test compared to NHWs revealed (72.5% vs. 79.1%. P = 0.029)
- Hispanic stroke patients reported greater barriers related to medical knowledge, medication adherence, healthcare access.
- Hispanics had lower stroke symptom awareness compared to NHW's.
- These results suggest that Hispanic stroke patients have less awareness over their health, experience more healthcare barriers and demonstrate lower rates of Stroke literacy.
 - This is where AHORA comes to play!

NO COMMONLY ACCEPTED ACRONYM IN

Spanish

to help Identify symptoms of

a Stroke



Incorporated in the PCFR protocol Jan 1st, 2021

Community
Outreach....Viva Polk
magazine 40,000
subscribers

Nationwide exposure EMS Conferences (TBA)

THE TIME TO DO THIS IS RIGHT NOW!

THE TIME TO DO THIS IS

AHORA!!!

Thank you!